·pp

251 North Avenue West, 2<sup>nd</sup> Floor Westfield, New Jersey 07090

Tel.: (908) 518-7700 Fax: (908) 518-7795

## Mayer Fortkort & Williams, PC Attorneys At Law



To:	Examiner Karl D. Frech	From:	Marjorie Scariati	
	Group Art Unit 2876			
Fax:	703-872-9319	Pages:	10	
Phone	21	Date:	9/9/03	
Re:	09/922,325	CC:		
Un	gent X For Review	☐ Please Comment	☐ Please Reply	☐ Please Recycle
	PRIVACY	AND CONFIDENTIA	LITY NOTICE	
for the	e use of the individual or ent	communication is confidential e ity to whom it is addressed and by notified that any disclosure formation is strictly prohibited.	nd may be legally privi others authorized to re ocopying, distribution	leged. It is intended solely eceive it. If you are not the or taking of any action in
		n in error, please immediately r documents to us at the above a	otify us by a collect tele ddress via the United S	phone call to the writer and tates postal service.
	ASE SEE ATTACHED	PETITION UNDER 37	CFR 1.136(a) AN	D AMENDMENT AND

Patent Docket: D2702 Serial No. 09/922,325

SEP 1 0 2003

OFFICIAL

## IN THE UNITED STATES PATENT & TRADEMARK OFFICE

APPLICANT(S): LADYANSKY, Stephen Joseph

SERIAL NO.: 09/922,325

FILING DATE: 08/03/2001

Examiner: Mr. Karl D. Frech

Art Unit: 2876

TITLE: MEDIA CIPHER SMART CARD

ATTY DOCKET: D2702

VIA FACSIMILE: 703-872-9319

MAIL STOP AF

COMMISSIONER FOR PATENTS ALEXANDRIA, VA 22313-1450

SIR:

## PETITION UNDER 37 CFR 1.136(a) AND AMENDMENT AND RESPONSE

Applicant hereby petitions the Assistant Commissioner to grant a one (1) month extension of time, up to and including October 5, 2003, in which to respond to the Office Action dated June 5, 2003 in the above-identified application. The extension fee in the amount of \$110.00 may be charged to deposit account No. 50-1047. In addition, any deficiencies may be charged to deposit account No. 50-1047.

In response to the Office Action dated June 5, 2003, the period for response having been extended by a Petition therefore and payment of the extension fee, kindly amend the above-identified application as follows: